Drug-induced Deaths

Drug-induced Deaths

- •Most recent data (2012): 12.5 deaths per 100,000, including 266 deaths.
 •Trend over time: 2000-12: flat
 •Description: Includes deaths from poisoning, drug dependence, and conditions resulting from acute or chronic exposure to drugs

Drug-induced deaths, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	12.0	11.4	12.7	252
AGE	•		,	
<18	0.5 §	0.3 §	0.9 §	2
18-24	9.3	7.4	11.5	16
25-44	14.5	13.2	15.9	88
5-64	25.3	23.4	27.3	131
5+	7.0	5.5	8.8	15
GENDER				
Male	14.6	13.6	15.7	152
emale	9.5	8.6	10.3	100
RACE/ETHNICITY	<u> </u>			
MAN	35.7	24.1	54.2	7
sian	2.1	1.4	3.1	6
Black	19.8	16.4	23.9	25
lispanic	6.6	4.6	10	9
<i>fultiple</i>	8.6	5.5	15.1	6
IHPI	9.2 §	3.3 §	40.7 §	1
Vhite	13.3	12.5	14.1	207
NEIGHBORHOOD POVERTY			-	
ligh	21.7	19.2	24.5	56
Medium	11.9	11.0	12.7	156
ow	7.6	6.5	8.9	36
REGION				,
East	7.2	6.2	8.4	38
Jorth	13.3	10.6	16.5	17
Seattle	14.8	13.5	16.2	98
South	12.7	11.6	14.0	93

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Drug-induced deaths King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Drug-induced deaths by comparison areas

The Healthy People 2020 Objective for drug-induced deaths is 11/100,000.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	12.9	N/A	N/A
WA State	2012	14.5	13.6	15.4
King County	2012	12.5	11.0	14.2


Source: WAState DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'ARate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

Drug-induced deaths by comparison areas



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|-----| Confidence interval shows range that includes true value 95% of the time.

Drug-induced deaths by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year			
King County (all ages)	12.0	11.4	12.7	252			
Auburn	16.9	12.6	22.2	11			
Auburn-North	14.2	9.4	20.8	6			
Auburn-South	20.8	13.5	31.2	5			
Bear Creek/Carnation/Duvall	9.5	5.9	14.9	5			
Bellevue	6.5	4.7	8.8	9			
Bellevue-Central	8.4	4.6	14.3	3			
Bellevue-NE	9.1	5.3	15.0	3			
Bellevue-South	3.1 [§]	1.0 §	8.4 §	1			
Bellevue-West	4.8 §	1.9 §	10.8 §	1			
Black Diamond/Enumclaw/SE County	14.2	9.6	20.5	6			
Bothell/Woodinville	6.7	3.4	12.1	2			
Burien	14.1	9.8	19.8	7			
Covington/Maple Valley	5.0	2.7	9.2	3			
Des Moines/Normandy Park	18.7	13.0	26.3	7			
East Federal Way	10.2	6.2	16.7	4			
Fairwood	7.4 §	3.3 §	16.3 §	2			
Federal Way	14.4	11.0	18.5	13			
Fed Way-Central/Military Rd	15.8	11.5	21.4	9			
Fed Way-Dash Point/Woodmont	12.2	7.3	19.6	4			
Issaquah	9.8	5.3	17.2	3			
Kenmore/LFP	13.7	8.7	20.7	5			
Kent	11.2	8.7	14.4	14			
Kent-East	7.9	4.3	14.0	3			
Kent-SE	13.9	9.8	19.5	8			
Kent-West	10.8	6.2	19.3	3			
Kirkland	8.8	6.2	12.4	8			
Kirkland	7.0	4.1	11.5	4			
Kirkland North	11.6	7.0	18.7	4			
Mercer Isle/Pt Cities	*	*	*	*			
Newcastle/Four Creeks	12.0	6.9	20.2	4			
North Highline	28.3	18.4	42.9	5			
Redmond	6.4	3.6	10.8	3			
Renton	11.6	9.0	14.9	13			
Renton-East	8.8	4.8	16.0	3			
Renton-North	9.2	5.0	16.0	3			
Renton-South	14.8	10.4	20.5	8			
Sammamish	6.0	3.1	12.4	3			
SeaTac/Tukwila	15.6	11.0	22.0	8			
Seattle	14.8	13.5	16.2	98			
Ballard	9.9	6.5	15.0	6			
Beacon/Gtown/S.Park	10.3	6.4	15.9	4			
Capitol Hill/E.lake	12.8	8.6	19.7	6			
Central Seattle	17.9	12.9	24.8	8			
Delridge	14.1	8.9	22.2	5			
Downtown	48.5	39.9	64.6	23			
Fremont/Greenlake	9.2	5.5	15.3	4			
NE Seattle	8.0	5.1	12.2	5			
North Seattle	14.1	9.7	20.3	7			
NW Seattle	21.3	15.8	28.9	10			
QA/Magnolia	10.9	7.6	15.9	7			
SE Seattle	10.4	6.6	15.8	5			
West Seattle	12.7	9.0	18.1	8			
Shoreline	17.2	12.7	23.0	10			
Snoqualmie/North Bend/Skykomish	6.3	3.5	12.0	3			
Vashon Island	*	*	*	*			
Comparisons							

Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates.

Drug-induced deaths by health reporting areas King County, 2008-2012 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Drug-induced deaths King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

